

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	("20040205731" "6292933" "20050251501" "20050251527" "20060004802" "20060095274" "20040193609" "20050055352" "20050210119" "20020124045" "20030149934" "20040131082" "20050015619" "20030101291" "6336137" "7028312" "20040103144" "20050005158" "20050066012" "20050066194" "20050166209" "20050182738" "6931532" "6941459" "6961849" "6978367" "7103627" "7130842" "20030135543" "20030182271" "20040139095" "20030221184" "20040064788" "20040133656" "6393456" "6772216" "6910216" "6941306" "6948174" "6993585" "7111077" "20020049815" "20020138728" "20020174117" "20020184145" "20020188666" "20030065623" "20030135628" "20030144942" "20030163450" ). pn.	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:32
L2	3375	xml and (message with format) and (conver\$4 or translat\$3)	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:14
L3	310	l2 and DOM	US-PGPUB; USPAT	OR	OFF	2007/01/04 17:47
L4	66	l3 and @ad<"20010215"	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:14
L5	1642	xml and DOM and (conver\$4 or translat\$3)	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:14
L6	244	l5 and @ad<"20010215"	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:15
L7	170	l6 and class	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:15
L8	9	l1 and wml	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:33
L9	1	("6336137").PN.	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:33
S1	1	("20040205731").PN.	US-PGPUB; USPAT	OR	OFF	2006/12/28 14:57
S6	3	("6635089" "6418446" "6658625"). pn.	US-PGPUB; USPAT	OR	OFF	2006/12/28 15:00
S7	3049	(715/513).ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/04 14:09

## EAST Search History

S8	921	(715/517).ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/04 15:00
S9	167	(715/506).ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/04 15:11



xml format conversion DOM

1998

- 2001

Search

Ad  
Sct  
Sct

**Scholar** All articles [Recent articles](#) Results 1 - 10 of about 598 for **xml format conversion DOM**. (0.09 sec)

## All Results

Did you mean: [xml format conversion FROM](#)[J Suzuki](#)[Y Yamamoto](#)[B McLaughlin](#)[D McKelvie](#)[R Bourret](#)

[The MATE Workbench-an annotation tool for XML coded speech corpora - group of 17 »](#)

D McKelvie, A Isard, A Mengel, MB Møller, M ... - Speech Communication, 2001 - ltg.ed.ac.uk

... The other tool performs a **conversion** from the BAS Partitur **format** into an **XML format** - this particular **format** is one of many possible **XML** representations ...

[Cited by 38](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Application of XML Tools for Enterprise-Wide RBAC Implementation Tasks - group of 8 »](#)

R Chandramouli - 5th ACM workshop on Role-based Access Control, 2000 - ce.sejong.ac.kr

... as the server-neutral **format**, this process ... RBAC\_TO\_Group\_Mappings.XML (Rule file containing DTD Transformation ... **DOM** Tree Representation of **Conversion** Mappings ...

[Cited by 23](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[A Scalable XML Access Control System - group of 8 »](#)

Y Wang, KL Tan - WWW Posters, 2001 - www10.org

... administrator specifies his access control policies in an **XML format**. ... accessing the entirety of the **XML** documents ... in our implementation while we **convert** to **XML** ...

[Cited by 14](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Extending UML with Aspects: Aspect Support in the Design Phase - group of 7 »](#)

J Suzuki, Y Yamamoto - AOP Workshop at ECOOP, 1999 - cs.umb.edu

... This section describes our **XML**-based **format** to express ... see also Figure 1). This **conversion** capability helps ... Software Models: Quartet of UML, **XML**, **DOM** and CORBA ...

[Cited by 114](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[Storing biological sequence databases in relational form - group of 5 »](#)

G Xie, R DeMarco, R Blevins, Y Wang - Bioinformatics, 2000 - bioinformatics.oupjournals.org

... We used Perl to **convert** Swis- sProt flat file into ... load the Swis- sProt database in **XML format** into Oracle. ... **XML** capabilities including a fast **XML** parser with ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Automated reasoning with legal XML documents - group of 3 »](#)

L Leff - Proceedings of the 8th international conference on ..., 2001 - wiu.edu

... include Jess User Functions that load **XML** documents and **convert** the **DOM** tree into ... Our **XML format** for the latter follows the proposed Court Filing standard. ...

[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Mapping between ASN. 1 and XML - group of 5 »](#)

T Imamura, H Maruyama - Proceedings of the 2001 Symposium on Applications and the ..., 2001 - doi.ieeecomputersociety.org

... that the default values are al- ready supplied before the **conversion**. ... **XML** As **XML**

is becoming popular as a standard data ex- change **format**, there are ...  
[Cited by 8](#) - [Related Articles](#) - [Web Search](#)

**Using XML in Document Recognition - group of 7 »**

O Hitz, L Robadey, R Ingold - Document Layout Interpretation and its Applications (DLIA99), 1999 - info.science.uva.nl

... can be easily stored in databases without complex **conversion** techniques. ... For our own future research, we will use **XML** as standard data **format** for the ...

[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**XML: The Future of EDI? - group of 3 »**

U Ogbuji - SunWorld, 1999 - oasis-open.org

... for no more than a radically new **format** that runs ... a nifty program to automate the **conversion** of EDI ... help with pilots and early implementations of **XML-EDI** http ...

[Cited by 7](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

**XML Repository In T Spaces & UIA Event Notification Application**

J Abraham, H Le, C Cedro - 1999 - cse.scu.edu

... this we will **convert** every node in the parse tree into tuples, which will ... This XSL file, greet2.xsl, displays the same greet.xml in a different **format** (using ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Did you mean to search for: xml format conversion **FROM**

Gooooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

xml format conversion DOM

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



xml message format conversion DOM

1998

- 2001

Search

Ad  
Sci  
Sci

**Scholar** All articles [Recent articles](#) Results 1 - 10 of about 214 for **xml message format conversion DOM**.

## All Results

Did you mean: **xml message format conversion FROM**

[T Lehman](#)

[M Bartel](#)

[L Seligman](#)

[S Banerjee](#)

[M Govindaraju](#)

[Hitting the distributed computing sweet spot with TSpaces - group of 7 »](#)  
 TJ Lehman, A Cozzi, Y Xiong, J Gottschalk, V ... - Computer Networks, 2001 - Elsevier  
 ... TSpaces performs the job of **message** clearinghouse and ... print command, printer features,  
 from an **XML** @le ... not, it @rst performs @le **format conversion** through a ...  
 Cited by 64 - [Related Articles](#) - [Web Search](#)

[Microsoft's vision for XML. - group of 3 »](#)

A Bosworth, ALB Jr. - IEEE Data Engineering Bulletin, 1999 - infoloom.com  
 ... such information will not be available and a customer will have to describe how to **convert**. ... One in which **XML** is the standard **message format** used for ...  
 Cited by 9 - [Related Articles](#) - [Cached](#) - [Web Search](#)

[An advanced Internet XML/EDI model based on secure XML documents - group of 2 »](#)

T Miyazawa, T Kushida - Parallel and Distributed Systems: Workshops, Seventh ..., 2000 - ieeexplore.ieee.org  
 ... This makes them easier to **convert** into and from other ... 4. **XML** Security Technologies  
 There are a few security ... while SNIME and PGP are for **message format** security ...  
 Cited by 5 - [Related Articles](#) - [Web Search](#)

[Application of XML Tools for Enterprise-Wide RBAC Implementation Tasks - group of 8 »](#)

R Chandramouli - 5th ACM workshop on Role-based Access Control, 2000 - ce.sejong.ac.kr  
 ... more flexibility for EDI-based **message** transfer systems. ... **XML** as the server-neutral **format**, this process ... RBAC\_TO\_Group\_Mappings.XML (Rule file containing DTD ...  
 Cited by 23 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PS\] The Use of XML in Software Engineering](#)

EN Tatbul - 2000 - cs.brown.edu  
 ... software objects (marshalling) and as a **format** of documents ... The envelope part denotes what a **message** is, who should ... into an abstract representation in **XML** or the ...  
 Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Workflow Standards AND XML - group of 4 »](#)

R Perrey, M Lycett - Americas Conference on Information Systems, 2001 - mngt.waikato.ac.nz  
 ... engine (XSLT) to turn any other data **format** into the ... the appropriate schema must be referenced in the **message**. ... The client DHTML is translated to **XML** by the IIS ...  
 Cited by 1 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[XML: The Future of EDI? - group of 3 »](#)

U Ogbuji - SunWorld, 1999 - oasis-open.org  
 ... what is essentially an e-mail **message**, but streamlining ... for no more than a radically new **format** that runs ... with pilots and early implementations of **XML-EDI** http ...

[Cited by 7](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

### XML Repository In T Spaces & UIA Event Notification Application

J Abraham, H Le, C Cedro - 1999 - cse.scu.edu

... location with a **message** on his UIA might be expressed in **XML** ... displays the same greet.xml in a different **format** (using ... **<xml,...>** **<xml,...>** **<xml,...>** **<xml,...>** . ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

### Building XML-Based Unified User Interface System under J2EE Architecture - group of 6 »

SJH Yang, I Chen, CC Chen, CH Chu, KHW Shen, CW ... - Annals of Software Engineering, 2001 - Springer

... BUILDING **XML**-BASED UNIFIED USER INTERFACE SYSTEM UNDER J2EE ... and decode **WML message**

to html **message** and pass it to ... his **WML** request to **HTML** request **format**, so it ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

### USING XML FOR EDI

EE Van Duinen - 1999 - neoref.ils.unc.edu

... It would be impractical or undesirable to **convert** all ... is extremely useful because it allows **XML** to be ... **message format** must exist so that each computer is able ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Did you mean to search for: xml message format conversion **FROM**

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

xml message format conversion DO


[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

☐ AbstractPlus

[View TOC](#)

Access this document

 Full Text: PDF (592 KB)

Download this citation

Choose

Download  

[» Learn More](#)

[Rights and Permissions](#)

[» Learn More](#)

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

☒ e-mail  printer friendly

## An advanced Internet XML/EDI model based on secure XML documents

Miyazawa, T. Kushida, T.  
Res. Lab., IBM Res., Tokyo;

This paper appears in: [Parallel and Distributed Systems: Workshops, Seventh International Conference on, 2000](#)

Publication Date: Oct 2000

On page(s): 295-300

Meeting Date: 07/04/2000 - 07/07/2000

Location: Iwate, Japan

ISBN: 0-7695-0571-6

References Cited: 8

INSPEC Accession Number: 6763130

Digital Object Identifier: 10.1109/PADSW.2000.884601

Posted online: 2002-08-06 23:36:54.0

### Abstract

In this paper, we propose an advanced Internet XML/EDI model that allows an Application Service Provider (ASP) to provide purchasing application services over the Internet. The model allows trading partners (buyers and suppliers) to securely exchange XML-based business documents over the Internet via the ASP, instead of traditional Electronic Data Interchange (EDI)-based messages via value-added networks (VANs). It eliminates the costs of implementing EDI-related applications and the costs of communication. It also simplifies business automation at the ASP site and backend system integration at buyers' and suppliers' sites. In the model, XML security technologies such as XML digital signatures and XML element-wise encryption are also employed to achieve secure business transactions with trading partners. The security of transactions is ensured not by the systems but by the documents themselves. The proposed model significantly reduces the disadvantages of traditional VAN-EDI and Web-based Internet EDI, and accelerates the spread of electronic exchange of business documents among trading partners

### Index Terms

Inspec

### Controlled Indexing

Internet cryptography electronic commerce electronic data interchange security of data

### Non-controlled Indexing